



MP Antenna, LTD.
 147 Eady Court
 Elyria, Ohio 44035

440.387.5968 phone
 440.545.3500 fax
www.mpantenna.com
sales@mpantenna.com

Model Number: 08-ANT-0952

part number: Various

product description: Dual Band 2.4GHz, 5GHz Omni Antenna

Electrical Data

| |
|---|
| frequency range: 2.4, 5 GHz |
| gain: 3dBi |
| vswr: <1.5:1 |
| horizontal pattern type: Omnidirectional |
| vertical patter type: Full |
| ground plane: Built-In |
| min ground plane: N/A |

Environmental Data

| |
|---|
| environmental conditions: Outdoor |
| operation temperature: -40 to 85 deg C |
| storage temperature: -40 to 85 deg C |
| transport temperature: -40 to 85 deg C |
| IP Rating: IP67 |

General Data

| |
|--|
| color: Black |
| antenna feeds: One Feed |
| coax length: N/A |
| coax type: N/A |
| connector type: Various |
| polarization: Multi-Polarized |
| power: 50 Watts Input |
| impedance: 50 ohms nominal |
| construction: UV Stabilized ASA |

Mechanical Data

| |
|--|
| length: 1 in |
| width: 1 in |
| radome height: 1.2 in |
| total height: see drawing |
| weight: 2 oz |
| mounting type: Connector Mounting |
| hardware included: N/A |

* With built in spatial and polarization diversity, performance in obstructed environments is greater than that of standard antennas with similar or higher laboratory gains.



Description: